



## MediaPOINTE DMR HD

The DMR HD records audio and video in both standard and high definition (1080p) and can be upgraded to the DMR HD Studio, which combines up to 3 video inputs for a multi-image recording. And MediaPOINTE's optional patented Wi Fi Hub technology allows you to control, monitor, and stream your content wirelessly. This flexibility enables users to meet their capture, archive, and streaming requirements today while providing an ongoing upgrade path to tomorrow.

### FEATURES & BENEFITS

- The DMR products capture and stream audio/video content in many customizable formats. Salespeople can watch new product announcements live from the road, students can watch lectures they missed, and new employees can watch safety and training videos, all from their PC or iPod™.
- The DMR HD contains MediaPOINTE's proprietary CopyME! technology- content can be downloaded onto a USB flash drive or DVD ROM. The DMR HD also provides a Blu-Ray option to support larger files. With this capability, users can quickly distribute copies of their content anytime...anywhere.
- The DMR HD automatically posts recordings to the MediaPOINTE Ensemble content management server so that users can easily find and view content- YouTube for your organization. See MediaPOINTE Ensemble data sheet for more information.
- Video-On-Demand (VOD) functionality can be extended to the base and Studio versions

of the DMR HD as a software option. Users can operate their DMR HD as a Video on Demand player to access live events or recorded content from other DMR's or DMR HD's.

### APPLICATIONS

- Education: Record presentations, lectures, class projects, debates, and staff meetings. Automatically post content to school server or MediaPOINTE Ensemble where staff and students can watch content from their PC or iPod device.
- Healthcare: Create video based training by recording HD video of medical procedures and mock surgeries. Stream the surgery footage to medical facilities around the world.
- Corporate: Record company announcements, training sessions, videoconferences, and meetings.
- Public Safety: Use DMR HD to capture Public Service Announcements and alerts.
- Medical Education: Doctor/ Patient exams, counseling sessions, learning center



## STREAMING

- MPEG-4 ASP native
- RTSP
- Unicast
- Multicast

## RECORDING

- Multiple encoding rates
- Multiple frame rates
- Optional title and credit slides
- Auto record videoconferences (near end)
- Multiple predefined templates (Studio)

## ARCHIVES

- Access through web browsers (no client software needed)
- No file size or duration limit (within constraints of hard drive)
- AESOP- additional 1TB of external storage
- Thumbnail images of files
- CopyME!-download to USB
- CopyME!-download to DVD(data)
- CopyME!- Blu-Ray™ drive option
- Automatic FTP upload

## VIDEO-ON-DEMAND (VOD) PLAYER

- Browse/Play either DMR, DMR HD, HD Portal archives & streams
- Stream to DVP or HD Portal
- Make archives available for VOD to other DMR, DMR HD, or DVP

## PORTABLE DEVICES

- Encode files for iPod™

## CONTENT VIEWERS

- QuickTime
- VLC
- other MPEG-4 compatible players

## INPUTS

- 1 S-Video/ Composite (NTSC)
- 2 S-Video/ Composite (Studio)
- 2 Line Level L/R RCA (unbalanced)
- DVI
- VGA (RGBHV)

## OUTPUTS

- 2 Line Level L/R RCA (unbalanced)
- DVI
- VGA (RGBHV)

## RESOLUTIONS & FRAME RATES

- 320 x 240 30fps
- 640 x 240 30fps
- 640 x 480 30fps
- 800 x 600 30fps
- 1024 x 768 30fps
- 1280 x 720 30fps
- 1440 x 1080 30fps
- 1600 x 1200 30fps
- 1920 x 1080 30fps
- Up to 1366 x 768 (Side-By-Side)

## NETWORK INTERFACES

- 1 x Ethernet (10/100/1000 MBit)

## STORAGE

- Total storage hours will vary based on content data rate and resolution estimated at:
- 22hours at 5MB
- 110 hours at 1MB
- 220 hours at 500KB
- 44-440 hours - AESOP

## PROTOCOLS

- HTTP
- TCP/IP
- FTP
- UDP
- RTSP
- SMTP
- DHCP
- NTP
- DNS

## SECURITY

- Multiple user level accounts
- Secure folders for content management

## SYSTEM MANAGEMENT

- HTTP Web Portal
- Internet Explorer 6
- Application Interface (API)
- RS-232 control
- Telnet control
- Remote contact closure
- Infrared remote
- Test tones and graphics
- Wireless Hub 802.11 (b/g/n)

## ENVIRONMENTAL DATA

- Operating temperature: 0° C to 40° C (32° F to 104° F)
- Relative humidity: 10% to 90% (non-condensing)
- Storage and transport temperature: -20° C to 80° C (-4° F to 140° F)

## POWER

- 90-264VAC, 47-63Hz
- Maximum- 5A at 115VAC

## PHYSICAL DIMENSIONS

- Height: 3.5" (89mm)
- Width: 17" (432mm)
- Depth: 14" (356mm)
- 19" rack mountable, 2U height

Actual products may vary in look from the images in this product sheet. Images shown are for representational purposes only. These specifications are subject to change without notice, and individual system specifics may vary. MediaPOINTE and Ensemble are registered trademarks in the U.S. and other countries. Other indicated trademarks are the property of their respective owners. Features listed in this product sheet may require specific software versions or enabled option keys.



## MediaPOINTE

667 Rancho Conejo Blvd.  
Newbury Park CA, 91320  
T: 805.480.3700  
F: 805.480.3770  
info@mediapointe.com